Place Picture Here



My Asthma Action Plan

Name:			DOB: / /
Severity Classification:	☐ Intermittent ☐ Mild Persist	ent	Severe Persistent
Asthma Triggers (list):			
Peak Flow Meter Personal Best: Parent Signature:			
Green Zone: Doing Well			
Symptoms: Breathing is good – No cough or wheeze – Can work and play – Sleeps well at night Peak Flow Meter (more than 80% of personal best)			
Control Medicine(s)	Medicine	How much to take	When and how often to take it
Physical Activity	Use Albuterol/Levalbuterol puffs, 15 minutes before activity with all activity when you feel you need it		
Yellow Zone: Caution			
Symptoms: Some problems breathing – Cough, wheeze, or tight chest – Problems working or playing – Wake at night Peak Flow Meter to (between 50% and 79% of personal best)			
Quick-relief Medicine(s) Control Medicine(s)	☐ Albuterol/Levalbuterol puffs, every 4 hours as needed☐ Continue Green Zone medicines☐ Add ☐ Change to		
You should feel better within 20–60 minutes of the quick-relief treatment. If you are getting worse or are in the Yellow Zone for more than 24 hours, THEN follow the instructions in the RED ZONE and call the doctor right away!			
Red Zone: Get Help No	w!		
Symptoms: Lots of problems breathing – Cannot work or play – Getting worse instead of better – Medicine is not helping Peak Flow Meter (less than 50% of personal best)			
	e NOW!	·	lking due to shortness of breath are blue
			one ()
	Physician Signature:		Phone: